FRAME HEIGHT AND RAMP ANGLE DATA

S/T TRUCK

S/T 10003 Pickup 1

Heights (To Ground) 1

Angle 2

Approach Angle(s) (Bottom of) 2

Departure Angle(s) (Bottom of) 2

S 10603 108.0” Wheelbase 3

S 10653 123.0” Wheelbase 3

S 10803 118.0” Wheelbase 4

T 10643 122.9” Wheelbase 4

T 10653 123.0” Wheelbase 5

S/T 10506 4-Door Utility 6

Heights (To Ground) 6

Angle 7

Approach Angle(s) (Bottom of) 7

Departure Angle(s) (Bottom of) 7

S 10506 107.0” Wheelbase 8

T 10506 107.0” Wheelbase 8

S/T 10516 2-Door Utility 9

Heights (To Ground) 9

Angle 10

Approach Angle(s) (Bottom of) 10

Departure Angle(s) (Bottom of) 10

S 10516 100.5” Wheelbase 11

T 10516 100.5” Wheelbase 11

FRAME HEIGHT AND RAMP ANGLE DATA

C/K TRUCK (CURRENT)

C/K Truck (Current) 12

Heights (To Ground) 12

Angle 13

Approach Angle(s) (Bottom of) 13

Departure Angles(s) (Bottom of) 13

C 31003 135.5” Wheelbase 14

C 31403 159.5” Wheelbase 14

C 31803 183.5” Wheelbase 14

C/K TRUCK (NEW)

C/K Truck (New) 15

Heights (To Ground) 15

Angle 15

Approach Angle(s) (Bottom of) 16

Departure Angles(s) (Bottom of) 16

C 15703 119.0” Wheelbase 17

C 15706 116.0” Wheelbase 17

C 15743 143.5” Wheelbase 18

C 15753 143.5” Wheelbase 18

C 15903 133.0” Wheelbase 18

C 15906 130.0” Wheelbase 19

C 15936 130.0” Wheelbase 19

C 15953 157.5” Wheelbase 20

K 15703 119.0” Wheelbase 20

K 15706 133.0” Wheelbase 21

K 15743 153.0” Wheelbase 22

C/K TRUCK (NEW) – *Continued*

K 15753 143.5” Wheelbase 22
K 15903 133.0” Wheelbase 23
K 15906 130.0” Wheelbase 23
K 15936 130.0” Wheelbase 24
K 15953 157.5” Wheelbase 24
C 25743 143.5” Wheelbase 25
C 25753 143.5” Wheelbase 25
C 25903 133.0” Wheelbase 26
C 25906 130.0” Wheelbase 26
C 25943 157.5” Wheelbase 27
C 25953 157.5” Wheelbase 27
K 25743 153.0” Wheelbase 28
K 25753 143.5” Wheelbase 28
K 25903 133.0” Wheelbase 29
K 25906 130.0” Wheelbase 29
K 25943 167.0” Wheelbase 30
K 25953 157.5” Wheelbase 30
C 35903 133.0” Wheelbase 31
C 35943 167.0” Wheelbase 31
C 35953 157.5” Wheelbase 31
C 36003 137.0” Wheelbase 32
C 36053 161.5” Wheelbase 32
C 36403 161.5” Wheelbase 32
C 36453 185.5” Wheelbase 33
K 35903 133.0” Wheelbase 33

FRAME HEIGHT AND RAMP ANGLE DATA

C/K TRUCK (NEW) – *Continued*

K 35943 167.0” Wheelbase 34
K 35953 157.5” Wheelbase 34
K 36003 137.0” Wheelbase 34
K 36053 161.5” Wheelbase 35
K 36403 161.5” Wheelbase 35
K 36453 185.5” Wheelbase 35

L/M VAN

L/M 110(05, 06) 36
Heights (To Ground) 36
Angle 36
Approach Angle(s) (Bottom of) 36
Departure Angle(s) (Bottom of) 37
L 11005 111.2” Wheelbase 38
L 11006 111.2” Wheelbase 38
M 11005 111.2” Wheelbase 39
M 11006 111.2” Wheelbase 39

G VAN (GMT 600)

G Van (GMT 600) 40
Heights (To Ground) 40
Angle 40
Approach Angle(s) (Bottom of) 41
Departure Angle(s) (Bottom of) 41
G 11405 135.0” Wheelbase 42
G 11406 135.0” Wheelbase 42
G 21405 135.0” Wheelbase 43

G VAN (GMT 600) – *Continued*

G 21406 135.0” Wheelbase 43
G 21705 155.0” Wheelbase 44
G 21706 155.0” Wheelbase 44
G 31405 135.0” Wheelbase 44
G 31406 135.0” Wheelbase 45
G 31503 139.0” Wheelbase 45
G 31532 139.0” Wheelbase 46
G 31705 155.0” Wheelbase 46
G 31706 155.0” Wheelbase 46
G 31803 159.0” Wheelbase 47
G 31832 159.0” Wheelbase 47
G 31903 177.0” Wheelbase 48
G 31932 177.0” Wheelbase 48